



БАЯЖУУЛСАН НҮҮРСНИЙ ҮЗҮҮЛЭЛТ

№ ETT_SP_SSC



ISO 45001:2018



ISO 9001:2015



ISO 14001:2015



ALS GROUP LLC
Mongol Nekhmei Building, 2nd khoroo
Chinggis Avenue, Khan-Uul District
Ulaanbaatar, Mongolia
Tel +976 70 007667




CERTIFICATE OF ANALYSIS
25G115-TT, 25G131-TT, 25G152-TT, 25G171-TT, 25G191-TT,

CLIENT: Erdenes Tavantolgoi JSC
ADDRESS: Finance Center, Jigjidjav-8
1st khoroo, Chingeltei District
Ulaanbaatar, Mongolia
ATTN: Jambaljamts.G
PROJECT NO. xxx
LAB. JOB NO. 25G115-TT, 25G131-TT, 25G152-TT, 25G171-TT, 25G191-TT,
NO. SAMPLES: 10
Notes/Comments: xxx

SAMPLES RECEIVED: 09/Jul/25
INSTRUCTIONS RECEIVED: 16/Jul/25
DATE OF REPORT: 16/Jul/25
STATUS OF REPORT: FINAL
ANALYSIS COMPLETE: 16/Jul/25
PREPARATION CODE: CRUSH-01, 02; MILL-01
ANALYSIS CODE: 1.3_COKING COAL
2.1_THERMAL COAL
TM, MOIS, ASH, VOL, TSUL,
GCV, CSN, CKIN

These test results are representative only of the sample received in the laboratory.

STANDARD METHOD		GB/T 212	GB/T 212	GB/T 212	ISO 19579	GB/T 213	GB/T 212	GB/T 212	ISO 19579	GB/T 213	GB/T 5448	GB/T 5447		
LAB NO.	SAMPLE NO.	DRY BASIS					DRY, ASH-FREE BASIS					Crucible Swelling Number (CSN)	Coal Caking Index (CKIN)	
		Ash (ASH)	Volatile Matter (VOL)	Fixed Carbon (FC)	Total Sulphur (TSUL)	Gross Calorific Value (GCV)	Volatile Matter (VOL)	Fixed Carbon (FC)	Total Sulphur (TSUL)	Gross Calorific Value (GCV)				
		%				kcal/kg	%				kcal/kg			
													5:1	3:3
1	CHPP-CC 2025.07.09_com-1	10.07	24.24	65.69	0.65	7736	26.96	73.04	0.73	8602	7.0	87	-	
2	CHPP-CC 2025.07.09_com-2	11.79	27.70	60.51	0.61	7627	31.40	68.60	0.69	8646	7.0	92	-	
3	CHPP-CC 2025.07.10_com	9.95	28.44	61.60	0.62	7693	31.59	68.41	0.69	8543	7.5	93	-	
4	CHPP-TC 2025.07.10_com-1	22.06	19.20	58.74	0.86	6628	24.64	75.36	1.11	8503		30	-	
5	CHPP-TC 2025.07.10_com-2	23.30	23.37	53.33	0.50	6523	30.47	69.53	0.65	8504		56	-	
6	CHPP-CC 2025.07.12_com	11.83	28.49	59.68	0.58	7585	32.32	67.68	0.66	8603	8.5	93	-	
7	CHPP-CC 2025.07.14_com	9.92	28.70	61.39	0.66	7704	31.86	68.14	0.73	8552	8.0	90	-	
8	CHPP-TC 2025.07.14_com	22.23	24.13	53.64	0.55	6638	31.02	68.98	0.70	8536		62	-	
9	CHPP-CC 2025.07.16_com	9.29	29.34	61.37	0.71	7725	32.35	67.65	0.78	8516	7.5	86	-	
10	CHPP-TC 2025.07.16_com	20.71	23.63	55.66	0.75	6745	29.80	70.20	0.94	8507		23	-	



ISO 45001:2018



ISO 9001:2015



ISO 14001:2015



www.ett.mn



75055555
1800-1072



Финанс төв, 1-р хороо,
Чингэлтэй дүүрэг,
Улаанбаатар хот

